

INSTRUCTIONS FOR TREATMENT PARTIALS

1. **CLEAN YOUR PARTIAL WITH A DENTURE BRUSH TWICE A DAY – USE TOOTHPASTE OR HAND SOAP.**
2. **SOAK OVERNIGHT IN A DENTURE CLEANER – EFFERDENT OR POLIDENT.**
3. **REMOVE AFTER EATING AND RINSE MOUTH WITH WATER OR MOUTH WASH.**
4. **IF SORE SPOTS ON GUMS DEVELOP THEN NOTIFY OUR OFFICE.**
5. **HARD FOODS SUCH AS NUTS, PRETZELS, HARD CANDY CAN CRACK THE PLASTIC AND SHOULD BE AVOIDED.**
6. **YOUR PARTIAL MIGHT INCREASE SALIVA FLOW AND ALTER TASTE SENSATION.**
7. **YOUR PARTIAL MIGHT CAUSE SPEECH INTERFERENCE FOR SEVERAL DAYS UNTIL YOU ACCOMMODATE – SLOW DOWN YOUR SPEECH AND ENUNCIATE YOUR WORDS.**
8. **USE THE CARRY CASE IF PROVIDED TO TRANSPORT THE PARTIAL. DO NOT LEAVE IN REACH OF ANY DOG.**
9. **YOUR PARTIAL WILL BE CLEANED OF STAIN AND TARTAR AT HYGIENE VISITS.**
10. **IF ITCHING OR BURNING OF YOUR ORAL SOFT TISSUES OCCURS THEN NOTIFY THE OFFICE. A YEAST INFECTION OR ALLERGY TO THE ACRYLIC MIGHT BE THE CAUSE AND WILL BE TREATED ACCORDINGLY.**

IF YOU HAVE AN AFTER HOURS DENTAL EMERGENCY, CALL DR REIGH AT 610-582-9051

IF YOU HAVE A TRUE MEDICAL EMERGENCY SUCH AS EXCESS BLEEDING OR AN ALLERGIC REACTION, GO DIRECTLY TO THE CLOSEST EMERGENCY ROOM.